

# PLEASE REFERENCE THE SIZE, PCD, AND OFFSET ABOVE YOUR APPLICATION.

RED LETTERS: BREMBO

BLUE LETTERS: ENDLESS

ORANGE LETTERS: STOPTECH

## HOW TO USE THE DATA TO CHECK FOR YOUR VEHICLE APPLICATION....

BRAKE MANUFACTURER PART #	YR	MAKE	MODEL	BRAKE DISC DIAMETER
111.5002 A	90-01	ACURA	INTEGRA	313X28

*EXAMPLE:*

PCD:5-114.3

SIZE:17x7.5+40,18x7.5+40 ( ALWAYS REFERENCE SIZE , OFFSET, AND PCD TO INSURE ACCURACY)

1A1.6013A	02+	ACURA	RSX	328x28
111.5004A	98-02	HONDA	Accord V6	313x28
1A1.6015A	98-02	HONDA	Accord V6	328x28
1A1.6017A	03+	HONDA	Accord	328x28

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

# Zeta 8 BRAKE/WHEEL CLEARANCE APPLICATION GUIDE

## BREMBO

### 4POT

pcd:5-114.3

Size:17x7.5 and 18x7.5

offset:+40

1A1.6013A	02+	ACURA	rsx	328x28
111.5004A	98-02	HONDA	Accord V6	313x28
1A1.6015A	98-02	HONDA	Accord V6	328x28
1A1.6017A	03+	HONDA	Accord	328x28
111.6018A	97-00	HONDA	Prelude	328x28
1A1.6008A	00+	LEXUS	is300	328x28
1A1.6009A	95-99	MITSUBISHI	Eclipse	328x28
111.6022A	2000	MITSUBISHI	Eclipse	328x28
1A1.6002A	89-99	NISSAN	maxima	328x28
111.6023A	2000+	NISSAN	maxima	328x28

### 4POT

pcd:5-100

Size:17x7.5 and 18x7.5

offset: +40

1A1.5003A	00+	TOYOTA	Celica	313x28
1A1.5003A	00+	TOYOTA	Matrix	313x28

### 4pot

pcd:5-100

size: 18x7.5only

offset:+47

1B1.7008A	02+	subaru	Impreza/wrx sti	332x32
1A1.6006A	93-01	subaru	Impreza	328x28
1A1.6010A	02+	subaru	Impreza / WRX	328x28

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

**4 POT pcd:4-100****Size:17x7.5 and 18x7.5****offset: +40**

<b>111.5002A</b>	<b>90-01</b>	<b>ACURA</b>	<b>integra</b>	<b>313x28</b>
<b>111.6005A</b>	<b>90-2001</b>	<b>ACURA</b>	<b>integra</b>	<b>328x28</b>
<b>111.5002A</b>	<b>93-95</b>	<b>HONDA</b>	<b>Civic EX Coupe w/Rear Disc and ABS</b>	<b>313x28</b>
	<b>92-95</b>	<b>HONDA</b>	<b>Civic EX Sedan</b>	
	<b>94-95</b>	<b>HONDA</b>	<b>Civic LX Sedan wRear Disc</b>	
	<b>1995</b>	<b>HONDA</b>	<b>Del Sol Si w/ABS</b>	
	<b>93-97</b>	<b>HONDA</b>	<b>Del Sol VTEC</b>	
<b>111.5011A</b>	<b>93-00</b>	<b>HONDA</b>	<b>Civic DX Coupe</b>	<b>313x28</b>
	<b>93-95</b>	<b>HONDA</b>	<b>Civic EX Coupe w/Rear Drum</b>	
	<b>92-00</b>	<b>HONDA</b>	<b>Civic 3 Door</b>	
	<b>94-95</b>	<b>HONDA</b>	<b>Civic CX,DX,VX,Si w/o ABS</b>	
	<b>92-00</b>	<b>HONDA</b>	<b>Civic DX,LX Sedan w/o ABS</b>	
	<b>92-97</b>	<b>HONDA</b>	<b>Del Sol S,Si w/o ABS</b>	
<b>111.6005A</b>	<b>93-95</b>	<b>HONDA</b>	<b>Civic EX Coupe w/Rear Disc and ABS</b>	<b>328x28</b>
	<b>92-95</b>	<b>HONDA</b>	<b>Civic EX Sedan</b>	
	<b>94-95</b>	<b>HONDA</b>	<b>Civic LX Sedan w/Rear Disc</b>	
	<b>95</b>	<b>HONDA</b>	<b>Del Sol Si w/ABS</b>	
	<b>93-97</b>	<b>HONDA</b>	<b>Del Sol VTEC</b>	
<b>111.6017A</b>	<b>96-00</b>	<b>HONDA</b>	<b>Civic EX Coupe/Sedan</b>	<b>328x28</b>
	<b>99-00</b>	<b>HONDA</b>	<b>Civic Si Coupe</b>	
	<b>96-00</b>	<b>HONDA</b>	<b>Civic LX Sedan w/Auto and ABS</b>	
<b>111.6008A</b>	<b>02+</b>	<b>HONDA</b>	<b>Civic Si Hatchback</b>	<b>328x28</b>
<b>1A4.5001A</b>	<b>01+</b>	<b>HONDA</b>	<b>Civic EX</b>	<b>315x28</b>
	<b>02+</b>	<b>HONDA</b>	<b>Civic Si Hatchback</b>	
<b>1A5.5001A</b>	<b>01+</b>	<b>HONDA</b>	<b>Civic EX</b>	<b>315x28</b>
	<b>02+</b>	<b>HONDA</b>	<b>Civic Si Hatchback</b>	
<b>1A1.5001A</b>	<b>90+</b>	<b>MAZDA</b>	<b>Miata</b>	<b>313x28</b>
<b>1C1.6001A</b>	<b>2003+</b>	<b>MINI</b>	<b>Cooper</b>	<b>320x28</b>
<b>111.6015A</b>	<b>00+</b>	<b>NISSAN</b>	<b>Sentra</b>	<b>328x28</b>

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

**4POT**

**pcd:4-114.3**

**Size:17x7.5 and 18x7.5**

**offset: +40**

<b>1A1.6015A</b>	<b>2001+</b>	<b>ACURA</b>	<b>CL</b>	<b>328x28</b>
	<b>1999+</b>	<b>ACURA</b>	<b>TL</b>	
<b>111.6019A</b>	<b>98-2002</b>	<b>HONDA</b>	<b>Accord 4 cyl</b>	<b>328x28</b>
<b>1A1.6014A</b>	<b>03+</b>	<b>HYUNDAI</b>	<b>Tiburon</b>	<b>328x28</b>
<b>111.6015A</b>	<b>99</b>	<b>INFINITY</b>	<b>G20</b>	<b>328x28</b>

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

## ENDLESS

### 4POT

pcd:5-114.3

Size:17x7.5 and 18x7.5

offset:+40

104C012BK	97-01	ACURA	Integra Type-R	Brake Kit	caliper only
104C012SK			Integra Type-R	System Kit	282x23
104C012BK	98-02	HONDA	Accord V6	Brake Kit	caliper only
104C012SK			Accord V6	System Kit	282x23
104C051BK	2000+	LEXUS	IS300	Brake Kit	caliper only 17" require 2mm spacers
104C051SK			IS300	System Kit	296x32 17" require 2mm spacers
104C051S1			IS300	System Kit 1	2piece disc rotor 296x32
104C061BK	86-92	MAZDA	RX-7	Brake Kit	caliper only
104C062SK			RX-7	System Kit	276x22

### 6 POT MINI

pcd:5-114.3

Size:17x7.5 and 18x7.5

offset:+40

2M6C013BK	2002+	Acura	RSX	Brake Kit	caliper only
2M6C013SK			RSX	System Kit	300x25
2M6C051BK	2000+	Lexus	IS300	Brake Kit	caliper only
2M6C051SK			IS300	System Kit	296x32
2M6C051S1			IS300	System Kit 1	296x32
2M6C051UK			IS300	Inch-Up Kit 1	324x30

### 4 pot

pcd:5-100

size: 18x7.5 only

offset:+47

104C111BK	97-01	Subaru	Impreza	Brake Kit	caliper only
104C111SK			Impreza	System Kit	294x24

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

**6pot mini**

**pcd:5-100**

**size: 18x7.5 ONLY**

**offset:+47**

<b>2M6C111BK</b>	<b>97-01</b>	<b>Subaru</b>	<b>Impreza</b>	<b>Brake Kit</b>	<b>caliper only (add 10 mm spacers)</b>
<b>2M6C111SK</b>			<b>Impreza</b>	<b>System Kit</b>	<b>294x24 (add 10 mm spacers)</b>
<b>2M6C111UK</b>			<b>Impreza</b>	<b>Inch-Up Kit</b>	<b>326x32 (add 10 mm spacers)</b>
<b>2M6C112SK</b>	<b>2002+</b>	<b>Subaru</b>	<b>Impreza</b>	<b>System Kit</b>	<b>326x32 (add 10 mm spacers)</b>

**4POT**

**PCD:4-100**

**Size:17x7.5 and 18x7.5**

**offset:+40**

<b>104C011UK</b>	<b>94-98</b>	<b>Acura integra (except type r)</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>
<b>104C013UK</b>	<b>88-91</b>	<b>Honda Civic</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>
<b>104C013UK</b>	<b>88-91</b>	<b>Honda CR-X</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>
<b>104C014UK</b>	<b>92-95</b>	<b>Honda Civic</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>
<b>104C015UK</b>	<b>96-00</b>	<b>Honda Civic</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>
<b>104C014UK</b>	<b>94-96</b>	<b>Honda Civic Del Sol Si w/ ABS</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>
<b>104C014UK</b>	<b>94-97</b>	<b>Honda Civic Del Sol VTEC</b>	<b>Inch-Up Kit</b>	<b>282x23 require 5mm spacers</b>

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

## STOPTECH

### 4pot

pcd:5-114.3

size:17x7.5 and 18x7.5

offset:+40

83-054-4300	97-00	acura	integra type r	328x28
83-058-4300	02+	acura	rsx type S	328x28
83-615-4300	01+	chrysler	sebring v-6	328x28
83-615-4300	01+	dodge	strabus coupe v-6	328x28
83-431-4300	97-01	honda	Prelude	328x28
83-517-4600A	2000+	lexus	is300 w/2.5 max lowering	328x28
83-519-4747	2000+	lexus	is300 w/2.5 max lowering	355x32 18inch wheel only
83-617-4300	89-93	mitsubishi	eclipse	328x28
83-618-4300	94-00	mitsubishi	eclipse	328x28
83-615-4300	2000+	mitsubishi	eclipse all	328x28

### 4 pot

pcd:5-100

size:17x7.5 and 18x7.5

offset:+40

83-240-2300	00+	chrysler	pt cruiser st40	328x28 requires11mmSpacers
83-240-2300	00+	dodge srt4	requires11mmSpacers	328x28
83-836-4300	02+	subaru	impreza wrx	328x28
83-837-4300	98-02	subaru	2.5rs	328x28
83-855-4300	00+	toyota	celica	328x28
83-855-4300	00+	toyota	matrix	328x28

### 4pot

pcd:5-100

size:18x7.5only

offset:+47

83-836-4300	02+	subaru	impreza wrx	328x28
83-837-4300	98-02	subaru	2.5rs	328x28
83-838-4600	03+	subaru	impreza wrx sti	332x32
83-855-4300	00+	toyota	celica	328x28 require3mm spacers
83-855-4300	00+	toyota	matrix	328x28 require3mm spacers

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.

**2 pot****pcd:5-100****size:17x7.5 and 18x7.5****offset:+40**

<b>83-240-4300</b>	<b>00+</b>	<b>chrysler</b>	<b>pt cruiser st20</b>	<b>328x28</b>
<b>83-240-4300</b>	<b>03+</b>	<b>dodge</b>	<b>srt4</b>	<b>328x28</b>

**4 pot****pcd: 4-100****size:17x7.5 and 18x7.5****offset:+40**

<b>83-054-4300</b>	<b>90-01</b>	<b>Acura</b>	<b>integra</b>	<b>328x28</b>
<b>83-430-4300</b>	<b>02+</b>	<b>honda</b>	<b>civic si</b>	<b>328x28</b>
<b>83-427-4300</b>	<b>99-01</b>	<b>honda</b>	<b>Civic SI,EX1999-01, LX w/ abs96-01</b>	<b>328x28</b>
<b>83-057-4300</b>	<b>93-97</b>	<b>honda</b>	<b>Civic LX, Ex w/rear disc and ABS, Del Sol</b>	<b>328x28</b>
<b>83-547-4300</b>	<b>2001+</b>	<b>mazda</b>	<b>protégé</b>	<b>328x28</b>
<b>83-138-4300</b>	<b>2000+</b>	<b>Mini</b>	<b>Cooper and Cooper S</b>	<b>328x28</b>
<b>83-648-4200</b>	<b>2002+</b>	<b>nissan</b>	<b>sentra se-r</b>	<b>328x28</b>
<b>83-860-4300</b>	<b>00+</b>	<b>toyota</b>	<b>mr2 spyder</b>	<b>328x28</b>

All calculations are based on Data provided by manufacturers and subject to change. This chart serves as a reference on caliper and brake clearance. Please check fitment prior to actual use.